

DN 10 LF	L/h	L/s	GPM
20%	30	0,008	0,13
25%	38	0,010	0,16
30%	45	0,013	0,20
35%	53	0,015	0,23
40%	60	0,017	0,26
45%	68	0,019	0,29
50%	75	0,021	0,33
55%	83	0,023	0,36
60%	90	0,025	0,39
65%	98	0,027	0,43
70%	105	0,029	0,46
75%	113	0,031	0,49
80%	120	0,033	0,52
85%	128	0,035	0,56
90%	135	0,038	0,59
95%	143	0,040	0,62
100%	150	0,042	0,65

DN 10 & DN 15 LF	L/h	L/s	GPM
20%	55	0,015	0,24
25%	69	0,019	0,30
30%	83	0,023	0,36
35%	96	0,027	0,42
40%	110	0,031	0,48
45%	124	0,034	0,54
50%	138	0,038	0,60
55%	151	0,042	0,66
60%	165	0,046	0,72
65%	179	0,050	0,78
70%	193	0,053	0,84
75%	206	0,057	0,90
80%	220	0,061	0,96
85%	234	0,065	1,02
90%	248	0,069	1,08
95%	261	0,073	1,14
100%	275	0,076	1,20

DN 15	L/h	L/s	GPM
20%	90	0,025	0,40
25%	113	0,031	0,50
30%	135	0,038	0,60
35%	158	0,044	0,70
40%	180	0,050	0,80
45%	203	0,056	0,90
50%	225	0,063	1,00
55%	248	0,069	1,10
60%	270	0,075	1,20
65%	293	0,081	1,30
70%	315	0,088	1,40
75%	338	0,094	1,50
80%	360	0,100	1,60
85%	383	0,106	1,70
90%	405	0,113	1,80
95%	428	0,119	1,90
100%	450	0,125	2,00

DN 20	L/h	L/s	GPM
20%	180	0,050	0,80
25%	225	0,063	1,00
30%	270	0,075	1,20
35%	315	0,088	1,40
40%	360	0,100	1,60
45%	405	0,113	1,80
50%	450	0,125	2,00
55%	495	0,138	2,20
60%	540	0,150	2,40
65%	585	0,163	2,60
70%	630	0,175	2,80
75%	675	0,188	3,00
80%	720	0,200	3,20
85%	765	0,213	3,40
90%	810	0,225	3,60
95%	855	0,238	3,80
100%	900	0,250	4,00

DN 25	L/h	L/s	GPM
20%	340	0,094	1,50
25%	425	0,118	1,88
30%	510	0,142	2,25
35%	595	0,165	2,63
40%	680	0,189	3,00
45%	765	0,213	3,38
50%	850	0,236	3,75
55%	935	0,260	4,13
60%	1020	0,283	4,50
65%	1105	0,307	4,88
70%	1190	0,331	5,25
75%	1275	0,354	5,63
80%	1360	0,378	6,00
85%	1445	0,401	6,38
90%	1530	0,425	6,75
95%	1615	0,449	7,13
100%	1700	0,472	7,50

DN 32	L/h	L/s	GPM
20%	640	0,178	2,80
25%	800	0,222	3,50
30%	960	0,267	4,20
35%	1120	0,311	4,90
40%	1280	0,356	5,60
45%	1440	0,400	6,30
50%	1600	0,444	7,00
55%	1760	0,489	7,70
60%	1920	0,533	8,40
65%	2080	0,578	9,10
70%	2240	0,622	9,80
75%	2400	0,667	10,50
80%	2560	0,711	11,20
85%	2720	0,756	11,90
90%	2880	0,800	12,60
95%	3040	0,844	13,30
100%	3200	0,889	14,00

Danfoss can accept no responsibility for possible errors in catalogues, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without subsequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.